

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14	@pd>"20050401" and (248/75 or 248/70 ro 248/327 or 248/342 or 248/343 or 239/282).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:20
L2	74	((fire with sprinkler) with (mount or support or hanger)) same ceiling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:21
L3	18	2 and "248"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:23
L4	14	2 and "239"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:21
L5	31	2 and "169"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 11:32
L6	867	(169/37).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:32
L7	135	(239/283).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:33
L8	195	6 and (fire adj2 sprinkler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:33
L9	4	7 and (fire adj2 sprinkler)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:33
L10	120	8 and (bracket or mount or holder or support or hanger)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/21 11:33